



SAFE CONTROL OF MIRID PESTS ON COCOA IN WEST AFRICA

PHEROMONE COMPONENT

David Hall

Natural Resources Institute

(University of Greenwich)

Cocoa Research Institute of Ghana

SAFE CONTROL OF MIRID PESTS ON COCOA IN WEST AFRICA



- Mirid bugs and black pod rated as most important constraints on cocoa in West Africa (*West Africa Regional Cocoa IPM Workshop, Cotonou, 2001*)
- Need for effective control methods for mirids with low non-target effects identified in Farmer Field Schools (*Vos et al. 2003*)



SAFE CONTROL OF MIRID PESTS ON COCOA IN WEST AFRICA

- Mirid bugs cause lesions on pods
- Destroy growing point
- Destroy trees
- Promote fungal growth (*Calonectria* spp.)




DFID-FUNDED PROJECTS (1998-2005)

- Virgin females of *Distantiella theobroma* and *Sahlbergella singularis* attract conspecific males
- Novel pheromone components identified and synthesised for both species



SAFE CONTROL OF MIRID PESTS ON COCOA IN WEST AFRICA

- CRIG showed synthetic pheromone blends attract male *S. singularis*




SAFE CONTROL OF MIRID PESTS ON COCOA IN WEST AFRICA

- Traps and lures developed by CRIG
- Various sticky traps effective
- 1 mg pheromone released from polyethylene vial lasts for 1-2 months



SAFE CONTROL OF MIRID PESTS ON COCOA IN WEST AFRICA

- Mass trapping effect demonstrated by CRIG



NEW PROJECT - MONITORING

- Ensure commercial production of lures (UK? India?) and traps (Ghana?)
- Continue development of traps for monitoring by growers
- Relate trap catches to infestation, damage and/or yield loss
- Pest monitoring vital for effective Rational Pesticide Use and biopesticides




NEW PROJECT - CONTROL

- Mass trapping
- Lure-and-Kill in which mirids are lured to lethal source of pesticide or mycopesticide



NEW PROJECT - CONTROL

- Mass trapping
- Mating disruption
- “Exo-Sex” – lure males, contaminate them with pheromone, release them so cause mating disruption



NEW PROJECT – CAPACITY BUILDING

- CRIG PhD student (pheromones) – UK/Ghana
- IPARC student (RPU and biopesticides) – UK/Ghana
- Inputs from UK experts (IPARC, NRI, EMR)
- Final workshop

